

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	61645	(dis\$1 drive).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/28 10:40
L2	24	(dis\$1 drive).ti. same partitioning	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/28 10:40
L4	1499	360/46.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/28 10:43
L7	9	360/46.ccls. and partitioning	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/28 10:44
L11	587	360/46.ccls. and (partitioning or divid\$4 or segment\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/28 11:24
L12	9	360/46.ccls. and (partitioning or divid\$4 or segment\$4) near4 dis\$1 drive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/28 11:24
L13	70995	different near5 (keys or passwords or PIN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/28 11:28
L14	7	different near5 (keys or passwords or PIN) same (partition\$5 near4 (dis\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/28 11:28
L15	26	different near5 (keys or passwords or PIN) same partition and (partition\$5 near4 (dis\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/28 11:39

S3	1	713/193.ccls. and ((partition\$3 or divid\$4) same (dis\$1 or (hard adj dis\$1)) same (sector\$1 or zone\$1 or part\$1 or spaces) same (ROM or "read only memory" or read\$1only) same (math \$10 or comput\$3 or calculat\$4 or formula))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 16:07
S4	1	713/193.ccls. and ((partition\$3 or divid\$4) same (dis\$1 or (hard adj dis\$1)) same (sector\$1 or segments or zone\$1 or part \$1 or spaces) same (ROM or "read only memory" or read\$1only) same (math \$10 or comput\$3 or calculat\$4 or formula))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 16:06
S5	7	713/200.ccls. and ((partition\$3 or divid\$4) same (dis\$1 or (hard adj dis\$1)) same (sector\$1 or segments or zone\$1 or part \$1 or spaces) same (ROM or "read only memory" or read\$1only) same (math \$10 or comput\$3 or calculat\$4 or formula))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 16:12
S6	7	713/200.ccls. and ((partition\$3 or divid\$4) same (dis\$1 or (hard adj dis\$1)) same (sector\$1 or segments or zone\$1 or part \$1 or spaces or sections) same (ROM or "read only memory" or read\$1only) same (math\$10 or comput \$3 or calculat\$4 or formula))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 16:35
S7	299	((partition\$3 or divid\$4) same (dis\$1 or (hard adj dis\$1)) same (sector\$1 or segments or zone\$1 or part \$1 or spaces or sections) same (ROM or "read only memory" or read\$1only) same (math\$10 or comput \$3 or calculat\$4 or formula))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 17:25

S8	4	((partition\$3 or divid\$4) same (dis\$1 or (hard adj dis\$1)) same (sector\$1 or segments or zone\$1 or part \$1 or spaces or sections) same ("data security" or (protect\$3 near2 data)) same (math\$10 or calculat \$4 or formula))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 17:28
S9	0	((partition\$3 or divid\$4) same (dis\$1 or (hard adj dis\$1)) same (sector\$1 or segments or zone\$1 or part \$1 or spaces or sections) same ("data security" or (protect\$3 near2 data)) same (compar\$3 near8 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 17:29
S10	1	((partition\$3 or divid\$4) same (dis\$1 or (hard adj dis\$1)) same (sector\$1 or segments or zone\$1 or part \$1 or spaces or sections) same ("data security" or (protect\$3 near2 data)) same (dis\$1 near2 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 17:31
S11	0	((partition\$3 or divid\$4) same (dis\$1 or (hard adj dis\$1)) same (sector\$1 or segments or zone\$1 or part \$1 or spaces or sections) same ("user zone" same "protected zone") same (dis\$1 near2 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 17:33
S13	0	(partition\$3 or divid\$4) same (dis\$1 or (hard adj dis\$1)) same (sector\$1 or segments or zone\$1 or part \$1 or spaces or sections) same ("user zone" same "protected zone" same "ROM zone")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 17:35
S14	37	(partition\$3 or divid\$4) same (dis\$1 or (hard adj dis\$1)) same (sector\$1 or segments or zone\$1 or part \$1 or spaces or sections) same (mathematic\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 17:39
S15	2	"09542681"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 17:39

S16	0	("2004/0136295").URPN.	USPAT	OR	ON	2005/04/15 17:39
S17	18	(partition\$3 or divid\$4) same (dis\$1 or (hard adj dis\$1)) same (ROM or (read\$1only adj memory) or read\$1only) adj (sector \$1 or segments or zone\$1 or part\$1 or spaces or sections)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 20:50
S19	71	(partition\$3 or divid\$4) same (dis\$1 or (hard adj dis\$1)) same (sector\$1 or segments or zone\$1 or part \$1 or spaces or sections) same (password or passcode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 20:51
S20	2	solid\$1state\$1disk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 12:14
S22	840	"solid state disk" or solid \$1state\$1disk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 12:15
S23	2	S22 and solid\$1state\$1disk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 12:16
S24	840	solid adj state adj disk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 12:16
S26	60	((solid adj state adj dis\$1) or "SSD" or (hard adj dis \$1) or "HD") same ((protected or secured) near2 (mode or state))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 12:18
S27	3	((solid adj state adj dis\$1) or "SSD" or (hard adj dis \$1) or "HD") same ((protected or secured) near2 (mode or state)) same (password or "pin")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 12:22
S28	2	"09775018"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 12:22

S29	27	((solid adj state adj dis\$1) or "SSD" or (hard adj dis \$1) or "HD") same ((protected or secured) near2 (mode or state)) and (password or "pin")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 15:24
S30	2	"6530004".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 14:11
S31	2	"6189014".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 14:21
S32	7	((solid adj state adj dis\$1) or (hard adj dis\$1)) same ((protected or secur\$2) near2 (mode or state)) same (password or "pin" or key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 15:31
S33	223	((solid adj state adj dis\$1) or (hard adj dis\$1)) and (((protected or secur\$2) near2 (mode or state)) same (password or "pin" or key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 15:31
S34	70	((solid adj state adj dis\$1) or (hard adj dis\$1)) and (((protected or secur\$2) near2 (mode or state)) same (password))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 16:01
S35	2	"5375243".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 16:09
S36	33	(excess or more) near9 (data or information) near9 (segment\$4 or partition\$4 or divid\$4) near9 (hard dis\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 16:25
S37	0	eleni shiferaw	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 16:25
S38	3	eleni near shiferaw	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 16:25

S39	1	"6931503".pn. and (protected or secur\$2) and (hard disk)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 06:13
S40	2	"5375243".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 07:15
S41	2	"5657473".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 07:48
S42	126	726/34.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 08:15
S44	4	list near3 (multiple or plurality or different) near5 storage near3 size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 08:19
S46	134	(partition\$4 or divid\$4 or segment\$4) near10 ((hard disk) or storage) near9 (different near5 size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 09:04
S47	871	711/173.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 10:01
S48	504	711/171.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 10:45
S49	5	711/170.ccls. and ((compar \$4 or match\$4) near5 (LBA or (Logical Block Address\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 11:42
S50	29	711/170.ccls. and ((compar \$4 or match\$4 calculat\$4 or comput\$4) near5 (LBA or (sector near2 (capacity or size)) or (Logical Block Address\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 11:43

S51	5	711/170.ccls. and ((compar\$4 or match\$4 calculat\$4 or comput\$4) near5 (LBA or (sector near2 (capacity or size)) or (Logical Block Address\$4))) same (partition\$4 or divid\$4 or segment\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 11:44
S52	127	platter near3 (partition\$4 or divid\$4 or segment\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/21 10:38
S55	1	((hard dis\$1 platter) or dis\$1 or platter) near2 (partition\$4 or divid\$4) same ((secure or protected) mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/21 10:47
S56	79	((hard dis\$1 platter) or dis\$1 or platter) near2 (partition\$4 or divid\$4) and ((secure or protected) mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/21 11:46
S57	2	"5,657,473".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/21 12:48
S58	2	"6088778".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/21 13:23
S59	0	dis\$1 near6 (divid\$4 or partition\$4) near6 (ROM or (flash memory) or (read\$1 only memory)) near6 (RAM) same mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/21 13:28
S60	2	dis\$1 near6 (divid\$4 or partition\$4 or segment) near6 (ROM or (flash memory) or (read\$1 only memory)) near6 (RAM) same mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/21 13:29
S61	38	dis\$1 same (divid\$4 or partition\$4 or segment\$5) same (ROM or (flash memory) or (read\$1 only memory)) same (RAM) same mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/21 13:29

S62	2	platter near9 (divid\$4 or partition\$4 or segment\$4 or fragment\$5) near9 (ROM or (read\$1only) or (flash memory) or (RAM) or (read only))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/22 13:15
S63	21	(magnetic dis\$4) near9 (divid\$4 or partition\$4 or segment\$4 or fragment\$5) near9 (ROM or (read \$1only) or (flash memory) or (RAM) or (read only))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/22 13:34
S64	46	(magnetic dis\$4) near15 (divid\$4 or partition\$4 or segment\$4 or fragment\$5) near15 (ROM or (read \$1only) or (flash memory) or (RAM) or (read only))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/22 13:36
S65	1478	711/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 09:23
S66	841	711/100.ccls. and (partition \$4 or divid\$4 or segment \$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 11:49
S67	51	711/100.ccls. and ((partition\$4 or divid\$4 or segment\$4) near9 ((dis\$1 platter) or ((hard or drive) near dis\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 10:58
S68	3	lock near8 "solid state" near8 dis\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 10:59
S69	70	711/100.ccls. and (partition \$4 or divid\$4 or segment \$4) same (ROM or (read only))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 11:50
S70	46	711/100.ccls. and (partition \$4 or divid\$4 or segment \$4) same (ROM or (read only)) and mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 12:38
S71	1	elliet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 12:18



S72	66	("713"/\$ ) and elliot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 12:32
S73	56	("713"/\$ ) and elliot and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 12:32
S74	1	("713"/\$ ) and elliot and memory and paula	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 12:33
S75	36	("713"/\$ ) and elliot and memory and security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 12:33
S76	14	711/100.ccls. and (partition \$4 or divid\$4 or segment \$4) same (dis\$1) same (ROM or (read only)) and mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 13:25
S77	0	711/100.ccls. and (partition \$4 or divid\$4 or segment \$4) same (dis\$1) same (level near4 security)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 13:27
S78	4	711/100.ccls. and (partition \$4 or divid\$4 or segment \$4) same (dis\$1) same (security)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 13:28
S79	5	711/100.ccls. and (partition \$4 or divid\$4 or segment \$4 or sector\$3) same (dis \$1) same (security)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 13:30
S80	0	("713"/\$. or "380"/\$. ) and (partition\$4 or divid\$4 or segment\$4 or sector\$3) same (dis\$1) same (security)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 13:31
S81	0	("713"/\$. or "380"/\$. )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 13:31

S82	63567	("713"/\$ or "380"/\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 13:31
S83	285	("713"/\$ or "380"/\$) and (partition\$4 or divid\$4 or segment\$4 or sector\$3) same (dis\$1) same (security)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 13:32
S84	30	("713"/\$ or "380"/\$) and (partition\$4 or divid\$4 or segment\$4 or sector\$3) same (dis\$1) same ((level near (security)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 13:32
S85	23	("713"/\$ or "380"/\$) and (partition\$4 or divid\$4 or segment\$4 or sector\$3) same (dis\$1) same ((level near (security))) and (password or pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 13:33
S86	2	("713"/\$ or "380"/\$) and (partition\$4 or divid\$4 or segment\$4 or sector\$3) same (dis\$1) same ((level near (security))) and (password or pin) and ((read and write) near access)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 14:24
S87	889	((logical block address) or (LBA)) same (size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 14:27
S88	472	((logical block address) or (LBA)) same (size) and ((partition\$4 or segment\$4 or sector\$4 or divid\$4) near9 (dis\$1 or platter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 14:28
S89	36	((logical block address) or (LBA)) same (different near9 size) and ((partition \$4 or segment\$4 or sector \$4 or divid\$4) near9 (dis \$1 or platter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 14:36
S90	36	((logical block address) or (LBA)) same (different near9 size) and ((partition \$4 or segment\$4 or sector \$4 or divid\$4) near9 (dis \$1 or platter)) and (read and write)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 15:05

S91	1	(read write) same (password near9 (control \$4 near4 access)) same (secure mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 14:42
S92	1	(read or write) same (password near9 (control \$4 near4 access)) same (secure mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 14:43
S93	134	((secure mode) or (protected mode)) same (access\$4 near9 (control\$4 or protect\$6)) and (password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 14:44
S94	20	((secure mode) or (protected mode)) same (access\$4 near9 (control\$4 or protect\$6)) and (password) and ((read near8 write) near3 access \$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 14:51
S96	2	(partition\$4 or sector\$4 or divid\$4 or segment\$4 portion\$4) near10 dis\$1 and S94	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 14:52
S97	81	((logical block address) or (LBA)) and ((partition\$4 or segment\$4 or sector\$4 or divid\$4) near9 (dis\$1 or platter)) and (read and write) and ((protected or secured or locked) near2 (zone or sectore or block or mode or area))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 15:09
S98	22	((logical block address) or (LBA)) and ((partition\$4 or segment\$4 or sector\$4 or divid\$4) near9 (dis\$1 or platter)) same ((protected or secured or locked) near2 (zone or sectore or block or mode or area))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 15:12
S99	19	((logical block address) or (LBA)) and ((partition\$4 or segment\$4 or divid\$4) near9 (dis\$1 or platter)) same ((protected or secured or locked) near2 (zone or sectore or block or mode or area))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 16:09

S100	18	"503536"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 16:09
S101	2	"5533125".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/26 16:09
S102	2	"5533125".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 14:17
S103	1643	711/163.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 17:26
S104	117	711/163.ccls. and (partition \$4 or divid\$4 or segment \$4) near4 dis\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 17:33
S105	11	711/163.ccls. and (partition \$4 or divid\$4 or segment \$4) near4 dis\$1 same (password or key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 10:44
S106	2	"6691213".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 12:03
S107	0	(multiple password) same (dis\$1 near2 protect\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 12:04
S108	0	(multi\$7password) same (dis\$1 near2 protect\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 12:05
S109	22572	(partit\$4 or divid\$4 or segment\$4) near2 dis\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 12:06

S110	3748	(partit\$4 or divid\$4 or segment\$4) near2 dis\$1 and (password or key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 12:07
S111	0	(partit\$4 or divid\$4 or segment\$4) near2 dis\$1 and (password or key) and 713/184.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 12:07
S112	0	(partit\$4 or divid\$4 or segment\$4) near2 dis\$1 and 713/184.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 12:08
S113	7	(partit\$4 or divid\$4 or segment\$4) near2 dis\$1 and 713/182.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 12:11
S114	833	(partit\$4 or divid\$4 or segment\$4) near2 dis\$1 and passwords	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 12:11
S115	38	((partit\$4 or divid\$4 or segment\$4) near2 dis\$1). ab. and passwords	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 12:12

3/ 28/ 08 2:52:36 PM

C:\Documents and Settings\eshiferaw\My Documents\EAST\Workspaces\10035315.wsp